


# Linking with nature

Working towards reducing air pollution has never been more visible and transparent than now.



*We are part of  
the solution.*



# Linking with nature

Cables might all look the same but there are small details which make a huge difference. In today's world, where global warming is among the greatest challenges facing the planet, reduction of greenhouse gas (GHG) emissions is essential. And our medium voltage ARE4H5EX 3X (1x185) mm<sup>2</sup> 12/20 kV CPR Fca cable for outdoor applications is up for this hard task. To keep pace with the environment, our cable is eco friendly and now certified as a Product Carbon Footprint (PCF) complying with requirements of ISO 14067:2018 standard.

## ARE4H5EX 3x (1x185) mm<sup>2</sup> 12/20 kV CPR Fca

### Application

Suitable for transport and distribution of electrical energy in dry, humid or moist outdoor application, direct buried or in underground pipes or in wind applications, the cable can handle medium mechanical stresses due to its aluminum tape screen. It's designed to replace heavy and rigid cables armored with metal, in places where protection against damage is needed.

### Customer benefits

With Product Carbon Footprint cables in our portfolio, we commit ourselves to constantly developing and improving our environmental protection and sustainability activities. The fact that we are the world leader cable manufacturer fighting to reduce the carbon emissions and increasing our portfolio of carbon footprint products, choosing our cables is now a more sustainable choice. In terms of your experience, everything will remain the same - the costs of our products will not be impacted by our efforts to reduce carbon emissions and neither their performances. Plus we'll advise and support you on the environmentally sound use and recycling/disposal of our products.

You get more than you expected!



ARE4H5EX 3x (1x185) mm<sup>2</sup> 12/20 kV CPR Fca



- ✓ Focus on a sustainable activity
- ✓ Reduction of the emissions of greenhouse gases
- ✓ Increase of product families covered by the Carbon Footprint
- ✓ Rise awareness and contribute to a greener energy



# Linking the future

Technical data, dimensions and weights are subject to change. All sizes and values without tolerances are reference values. Specifications are for product as supplied by Prysmian Group: any modification or alteration afterwards of product may give different result. The information contained within this document must not be copied, reprinted or reproduced in any form, either wholly or in part, without the written consent of Prysmian Group. The information is believed to be correct at the time of issue. Prysmian Group reserves the right to amend this specification without prior notice. This specification is not contractually valid unless specifically authorised by Prysmian Group.

© All rights reserved by Prysmian Group 2020-01 | Version 1.

## Offices Romania

Strada Dragănești, no. 28, Slatina, 230119  
Phone: +40 249 406 600  
E-mail: [infocables-ro@prysmiangroup.com](mailto:infocables-ro@prysmiangroup.com)  
[www.prysmiangroup.ro](http://www.prysmiangroup.ro)

**Prysmian**  
Group